

				The Metalplastic Company
Article Print c Versic	late: 22.07.2015 Revision dat	te: 19.05.2015	65302 EN Page 1 / 7	
	SECTION 1: Identification of the subs	tance/mixture and of the	company/underta	iking
1.1.	Product identifiers			
	Article No. (manufacturer/supplier) Identification of the substance or mixture	0057 Deoiler 0057		
1.2.	Relevant identified uses of the substance	or mixture and uses advise	d against	
1.3.	Details of the supplier of the safety data s	heet		
	supplier (manufacturer/importer/downstre DIAMANT Metallplastic GmbH Hontzlarstr. 12-14 41238 Mönchengladbach	eam user/distributor) Telephone: +49(0)21 Telefax: +49(0)2166-		
	Dept. responsible for information: Lab			
	E-mail (competent person)	info@diamant-polym	er.de	
1.4.	Emergency telephone number Emergency telephone number Only available during office hours.	+49(0)2166-98360		
	SECTION 2: Hazards identification			
2.1.	Classification of the substance or mixture)		
	Classification according to Regulation (EC	C) No. 1272/2008 [CLP]		
	This substance is classified as not hazardous	s according to regulation (EC)	No. 1272/2008 [CLI	P].
	Classification according to Directive 67/54	48/EEC or 1999/45/EC		
	This substance is classified as not hazardous	s according to 67/548/EEC.		
2.2.	Label elements			
	Labelling according to Regulation (EC) No	o. 1272/2008 [CLP]		
	Hazard pictograms			
	Hazard statements			
	not applicable Precautionary statements			
	not applicable			
	contains:			
	not applicable			
	Supplemental Hazard information (EU) not applicable			
	Labelling (67/548/EEC or 1999/45/EC)			
	Hazard statements			
	not applicable Precautionary statements			
	not applicable			
	contains:			
	not applicable			
	Special provisions concerning the labelling	ng of certain mixtures		
2.3.	not applicable Other hazards			
	SECTION 3: Composition / information	n on ingredients		
3.1.	Substances			
0.1.	Product description / chemical characteriz	zation		

Product description / chemical characterizationDescriptionAdditives, flocculants, fillers



	Article No.: Print date: Version:	0057 22.07.2015 2.0	Deoiler 0057 Revision date: 19.05.2015 Issue date: 19.05.2015	65302 EN Page 2 / 7	
--	---	---------------------------	---	------------------------	--

Hazardous ingredients

Classification a	ccording to Regulation (EC) No. 1272/2008 [CLP]	
EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification	Remark

not applicable

Classification according to Directive 67/548/EEC or 1999/45/EC				
EC No.	REACH No.			
CAS No.	Chemical name	Wt %		
INDEX No.	classification	Remark		

not applicable

Additional information

Full text of R-phrases: see section 16. Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.



Article No.:	0057	Deoiler 0057
Print date: Version:	22.07.2015 2.0	Revision date: 19.05.2015 Issue date: 19.05.2015
	2.0	

65302 EN Page 3 / 7

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 20 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

INDEX No. not applicable / CAS No.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Nitrile rubber or butyl rubber Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.



Article No.:	0057	Deoiler 0057	
Print date:	22.07.2015	Revision date: 19.05.2015	65302 EN
Version:	2.0	Issue date: 19.05.2015	Page 4 / 7

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

solid
refer to label
characteristic

Safety relevant basis data		Unit	Method	Remark
Flash point:	not applicable	°C	DIN 53213-1 (08/2002: replaced by EN ISO 1523)	
Ignition temperature in °C:	not applicable	°C		
Lower explosion limit:	not applicable	Vol-%		
Upper explosion limit:	not applicable	Vol-%		
Vapour pressure at 20 °C:	not applicable	mbar		
Density at 20 °C:	2,60	g/cm³		
Water solubility (g/L):	insoluble			
pH at 20 °C:	-			
Viscosity at °C:	Pulver / powder			
Solvent separation test (%):	< 3	%	ADR/RID	
Solid content (%):	100,00	Wt %		
solvent content:				
Organic solvents:	0	Wt %		
Water:	0	Wt %		
Other information				

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity



Article No.:	0057	Deoiler 0057
Print date:	22.07.2015	Revision date: 19.05.2015
Version:	2.0	Issue date: 19.05.2015

65302 EN Page 5 / 7

Toxicological data are not available.

Irritant and corrosive effects

Toxicological data are not available.

Sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

This substance does not meet the criteria for classification as CMR category 1 or 2 according to 67/548/EEC.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

overall evaluation

There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Toxicological data are not available.

- 12.2. **Persistence and degradability** Toxicological data are not available.
- 12.3. **Bioaccumulative potential** Toxicological data are not available.
- 12.4. **Mobility in soil** Toxicological data are not available.
- 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.



				The Metalplastic Com	ipany 🔪
Article Print o Versio	date:	0057 22.07.2015 2.0	Deoiler 0057 Revision date: 19.05.2015 Issue date: 19.05.2015	65302 EN Page 6 / 7	
14.1.	UN number				
			not applicable		
14.2.	UN proper s	shipping name			
14.3	Transport h	azard class(es)			
11.0.	manoport		not applicable		
14.4.	Packing gr	oup			
			not applicable		
14.5.	Environme	ental hazards			
	-	oort (ADR/RID)	not applicable		
	Marine poll		not applicable		
14.6.		ecautions for user			
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to d case of an accident or leakage. Advices on safe handling: see parts 6 - 8				to do in
	Additional	information			
	Land trans tunnel restr	port (ADR/RID) iction code			
	Sea transp	ort (IMDG)			
	EmS-No.		not applicable		
14.7.	Transport	in bulk according t	o Annex II of MARPOL 73/78 and th	e IBC Code	
	not applical	ble			
	SECTION	15: Regulatory in	nformation		
15.1.	Safety, hea	alth and environme	ntal regulations/legislation specific	for the substance or mixture	
	EU legislation				
	VOC-value	n according to 199 (in g/L) ISO 11890-: (in g/L) ASTM D 23	2: 0	ns of volatile organic compounds (VOC-guide	eline).
	National re	gulations			
	Observe en			ective (92/85/EEC) for expectant or nursing moth enile work protection guideline' (94/33/EC).	ers.
	-	-	s and prohibition regulations		
15.2.		Safety Assessment ostance a chemical s	safety assessment has not been carri	ed out.	

SECTION 16: Other information

Relevant R-and H-phrases (Number and full text):

not applicable

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.



 Article No.:
 0057

 Print date:
 22.07.2015

 Version:
 2.0

Deoiler 0057 Revision date: 19.05.2015 Issue date: 19.05.2015

65302 EN Page 7 / 7