according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010



Article No.: 0265B moglice ScoreEx powder Revision date: 19.05.2015 Issue date: 19.05.2015 Print date: 03.07.2015 65302 EN Version: Page 1 / 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers 11

Article No. (manufacturer/supplier) 0265B

Identification of the substance or mixture moglice ScoreEx powder

1.2. Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

DIAMANT Metallplastic GmbH

Hontzlarstr. 12-14 Telephone: +49(0)2166-98360 41238 Mönchengladbach Telefax: +49(0)2166-83025

Dept. responsible for information:

Lab

E-mail (competent person) info@diamant-polymer.de

Emergency telephone number

Emergency telephone number +49(0)2166-98360

Only available during office hours.

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Org. Perox. B / H241 Organic peroxides Heating may cause a fire or explosion. Skin Sens. 1 / H317 respiratory or skin sensitisation May cause an allergic skin reaction.

Aquatic Acute 1 / H400 Hazardous to the aquatic environment Very toxic to aquatic life.

Very toxic to aquatic life with long lasting Aquatic Chronic 1 / H410 Hazardous to the aquatic environment

effects.

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is classified as hazardous according to 1999/45/EC.

N; R50-53 Dangerous for the environment Very toxic to aquatic life. May cause long-term

adverse effects in the aquatic environment.

May cause sensitization by skin contact.

Label elements

R43

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms









Danger

Hazard statements

H241 Heating may cause a fire or explosion. H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed. P234 Keep only in original container.

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P391 Collect spillage.

Dispose of contents/container to industrial incineration plant. P501

contains:

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010



65302 EN

Page 2 / 7

Article No.: 0265B moglice ScoreEx powder
Print date: 03.07.2015 Revision date: 19.05.2015
Version: 2.0 Issue date: 19.05.2015

dibenzoyl peroxide

Supplemental Hazard information (EU)

not applicable

Labelling (67/548/EEC or 1999/45/EC)

×

Xi Irritant

*

N Dangerous for the environment

Hazard statements

43 May cause sensitization by skin contact.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Precautionary statements

Avoid contact with skin.Wear suitable gloves.

Avoid release to the environment. Refer to special instructions/safety data sheet.

contains:

dibenzoyl peroxide

Special provisions concerning the labelling of certain mixtures

not applicable

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Benzoyl peroxide mixture, fillers

Hazardous ingredients

Classification according to Regulation (EC) No. 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark
231-175-3	01-2119467174-37	
7440-66-6	zinc powder - zinc dust (stabilised)	50 - 100
030-001-01-9	Aquatic Acute 1 H400 / Aquatic Chronic 1 H410	
215-222-5	01-2119463881-32	
1314-13-2	zinc oxide	5 - 10
030-013-00-7	Aquatic Acute 1 H400 / Aquatic Chronic 1 H410	
202-327-6	01-2119511472-50	
94-36-0	dibenzoyl peroxide	1 - 2,5
617-008-00-0	Org. Perox. B H241 / Eye Irrit. 2 H319 / Skin Sens. 1 H317 / Aquatic Acute 1 H400	

Classification according to Directive 67/548/EEC or 1999/45/EC

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark
231-175-3	01-2119467174-37	
7440-66-6	zinc powder - zinc dust (stabilised)	50 - 100
030-001-01-9	N; R50-53	
215-222-5	01-2119463881-32	
1314-13-2	zinc oxide	5 - 10
030-013-00-7	N; R50-53	
202-327-6	01-2119511472-50	
94-36-0	dibenzoyl peroxide	1 - 2,5
617-008-00-0	E; R3 / O; R7 / Xi; R36 / R43 / N; R50	

Additional information

Full text of R-phrases: see section 16. Full text of H-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010



Article No.: 0265B moglice ScoreEx powder Print date: 03.07.2015 Revision date: 19.05.2015 65302 EN Issue date: 19.05.2015 Version: Page 3 / 7

SECTION 4: First aid measures

Description of first aid measures 4.1.

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners. Wash contaminated clothing before reuse.

After eve contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Take precautionary measures

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



 Article No.:
 0265B
 moglice ScoreEx powder

 Print date:
 03.07.2015
 Revision date: 19.05.2015
 65302 EN

 Version:
 2.0
 Issue date: 19.05.2015
 Page 4 / 7

against static discharge. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. Personal protection equipment: refer to chapter 8. Follow the legal protection and safety regulations. To avoid the risk of fire, do not allow this product to dry out. Explosive when dry.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Lighting and other electric equipment must be explosion protected in order to avoid hot surfaces, sparks and other ignition sources. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Always close containers tightly after the removal of product.

Hints on joint storage

Keep away from combustible material. Keep away from strongly acidic and alkaline materials as well as oxidizers. Keep away from amines, alcohols and water.

Further information on storage conditions

Always keep in containers that correspond to the material of the original container. Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 20 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

INDEX No. not applicable / CAS No.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Nitrile rubber or butyl rubber

Thickness of the glove material > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state solid

Colourrefer to labelOdourcharacteristic

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



 Article No.:
 0265B
 moglice ScoreEx powder

 Print date:
 03.07.2015
 Revision date: 19.05.2015
 65302 EN

 Version:
 2.0
 Issue date: 19.05.2015
 Page 5 / 7

Onfato relevent banks data		1126	8 4 - 4	D I -
Safety relevant basis data		Unit	Method	Remark
Flash point (°C):	NB			
Ignition temperature in °C:	500	°C		
Lower explosion limit:	not applicable	Vol-%		
Upper explosion limit:	not applicable	Vol-%		
Vapour pressure at 20 °C:	not applicable	mbar		
Density at 20 °C:	5,73	g/cm³		
Water solubility (g/L):	insoluble			
pH at 20 °C:	-			
Viscosity at °C:	pulver			
Solid content (%):	100,00	Wt %		
solvent content:				
Organic solvents:	0	Wt %		
Water:	0	Wt %		
Decomposition temperature:	> 50			

9.2. Other information:

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Keep away from: Copper, Iron.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, benzene, nitrogen oxides.

SECTION 11: Toxicological information

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

Irritant and corrosive effects

Toxicological data are not available.

Sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Overall Assessment on CMR properties

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to 67/548/EEC.

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

overall evaluation

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010



65302 EN

Page 6 / 7

Article No.: 0265B moglice ScoreEx powder Revision date: 19.05.2015 Issue date: 19.05.2015 Print date: 03.07.2015 Version:

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080201 waste coating powders

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1. UN number

3077

14.2. UN proper shipping name

Land transport (ADR/RID): Environmentally hazardous substance, solid, n.o.s.

((zinc powder - zinc dust (stabilised)))

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Sea transport (IMDG):

((zinc powder - zinc dust (stabilised)))

Air transport (ICAO-TI / IATA-DGR): Environmentally hazardous substance, solid, n.o.s.

((zinc powder - zinc dust (stabilised)))

14.3. Transport hazard class(es)

9

14.4. Packing group

Ш

14.5. Environmental hazards

Land transport (ADR/RID) **UMWELTGEFÄHRDEND** Marine pollutant p / (Dibenzoylperoxide)

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



65302 EN

Page 7 / 7

Article No.: 0265B moglice ScoreEx powder
Print date: 03.07.2015 Revision date: 19.05.2015
Version: 2.0 Issue date: 19.05.2015

Additional information

Land transport (ADR/RID)

tunnel restriction code E

Sea transport (IMDG)

EmS-No. F-A, S-F

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

VOC-value (in g/L) ISO 11890-2: 0
VOC-value (in g/L) ASTM D 2369: 0

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

Relevant R-and H-phrases (Number and full text):

Aquatic Acute 1 / H400 Hazardous to the aquatic environment Very toxic to aquatic life.

Aquatic Chronic 1 / H410 Hazardous to the aquatic environment Very toxic to aquatic life with long lasting

effects.

Org. Perox. B / H241 Organic peroxides Heating may cause a fire or explosion. Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

Serious eye damage/eye irritation

Skin Sens. 1 / H317

Respiratory or skin sensitisation

N; R50-53

Serious eye damage/eye irritation

May cause an allergic skin reaction.

Very toxic to aquatic life. May cause long-term

adverse effects in the aquatic environment.

E; R3 Explosive Extreme risk of explosion by shock, friction, fire

or other sources of ignition.

O; R7 Oxidising May cause fire.
Xi; R36 Irritant Irritating to eyes.

R43 May cause sensitization by skin contact.

N; R50 Dangerous for the environment Very toxic to aquatic life.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.